



STREET, STREET

2	V
---	---

SECUR		· · · · · · · · · · · · · · · · · · ·					
AD-A170	R59 I DOCUME	NTATION PAGE	Ē				
TIA M		16. RESTRICTIVE M	ARKINGS				
24. SECURITY CLASSIFICATION AUTHORITY	2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT			
		Approved for public release;					
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE		distribution unlimited					
4. PERFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR- 86-0519					
6. NAME OF PERFORMING ORGANIZATION	66. OFFICE SYMBOL	7a. NAME OF MONIT	TORING ORGANI	ZATION			
La Jolla Institute	(If applicable)	USAF, AFSC, AFOSR/NP					
6c. ADDRESS (City, State and 21P Code)		7b. ADDRESS (City, State and ZIP Code)					
P.O. Box 1434		NP/Bldg. 410					
La Jolla, CA 92038		Bolling Air Force Base					
8a. NAME OF FUNDING/SPONSORING	86. OFFICE SYMBOL	Washington			14858		
ORGANIZATION	(If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER F49620-85-C-0070					
Bc. ADDRESS (City, State and ZIP Code)	J	10. SOURCE OF FUNDING NOS.					
		PROGRAM ELEMENT NO.	PROJECT	TASK	WORK UNIT		
			NO.	NO.	NO.		
11. TITLE (Include Security Chambicotion) (Unc. Low-Energy Collisions of Ex		61100F 2301/A4 A4					
12. PERSONAL AUTHORIS)			1				
Neynaber, Roy H., Tang, Sh		LA DATE OF BERO	nt Walls now	1			
	1/85 To4/30/86	14. DATE OF REPORT (Yr., Mo., Dey) 15. PAGE COUNT 5					
16. SUPPLEMENTARY NOTATION							
17 COSATI CODES	18. SUBJECT TERMS (Co	Continue on reverse if necessary and identify by block number)					
FIELD GROUP SUB. GR.	Ion-pair prod						
		ams, reaction rates					
	<u> </u>						
19. ABSTRACT (Continue on reverse if necessary and identify by block number) A summary of research performed under AFOSR Contract No. F49620-85-C-0070							
is given. The contract covered the period 1 May 1985-30 April 1986. The report							
describes molecular beam studies of ion-pair production, chemisionization, and							
measurements of the fraction of excited Na atoms in a composite beam or gas of ground-state and excited Na atoms. Some of the experiments involved laser excited Na							
as a reactant. Included are	investigations of	of experim	Na Na C	ved laser e	xcited Na		
Li-Cs, and Li-excited Na'sy	steme	r excited iva	-1va, 1va-C	i, metastab	le ne-L1,		
ar ob, and ar excited ita by			1				
1							
	ţ		//3 A	§ ELECT	TE		
		.•		AUG 1 3 K	986 🚡 🖥		
20. DISTRIBUTION/AVAILABILITY OF ABSTRA	20. DISTRIBUTION/AVAILABILITY OF ABSTRACT 21. ABSTRACT SECURITY CLASS TION						
UNCLASSIFIED/UNLIMITED SAME AS RPT.	UNCLASSIFIED/UNLIMITED 🖾 SAME AS RPT. 🖾 DTIC USERS 🗋		ied	В			
220. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE N		22c. OFFICE SYM	BOL		
Roy H. Neynaber		1610\ 452-4	-	`			

AFOSR.TR. 86-0519

receeses the resident transfer sessions

PROGRAM

Selected ion-pair production, chemi-ionization, and resonant and near-resonant charge-transfer reactions involving excited atoms will be experimentally studied in a range of relative energy from thermal, or threshold, to several hundred electron volts. Reactants of the processes include metastable rare-gas atoms, rare-gas ions, halogen atoms, ground-state and excited alkali atoms and alkali ions. Reactions leading to Li are of special interest. The studies will be conducted in mergingbeams and beam-gas apparatuses. A laser system will be used in conjunction with this equipment for experiments involving some excited atoms such as Na (3 P_{3/2}). Cross sections as a function of collision energy, threshold behavior where applicable, and product-energy distributions will be measured. Existing theories, such as the Landau-Zener-Stueckelberg curve-crossing model for ion-pair production and the Demkov approach for near-resonant charge transfer, will be used to explain the observed data. Attempts will be made to modify these theories to account for discrepancies, new theories will be discussed where possible and the need for additional theoretical effort will be noted.

Approved for public rulenso, ACCOMPLISHMENTS distribution unlimited

The research accomplished on Contract F49620-85-C-0070 for the period 1 May 1985 - 30 April 1986 is cited below.

- 1. We prepared a manuscript of our measurements of the laser excited Na atoms in a fast (keV) beam entitled "Fractional Determination of Excited Atoms Produced by Collinear Laser and Fast Na Beams." This is the first measurement of this type. The paper has been published.
- 2. We have succeeded in partially exciting Na vapor in a cell with a laser and in measuring the excitation. A paper has been published on the subject.

- 3. We have measured absolute and relative cross sections, Q, for the ion-pair production (IPP) process Na + Cl → Na + Cl -. The results can be explained by a theory of Faist and Levine which employs a modified Landau-Zener-Stueckelberg model. We have used this reaction to measure the fraction, f*, of Na produced in a vapor of Na (see #2) by a laser, where Na represents excited Na in the 3p P_{3/2} state. The f is obtained by measuring the Cl product with the laser on and off. The technique works because the reaction proceeds with a ground-state (GS) Na reactant but not with a Na reactant. A paper has been published.
- 4. Using the methods we have developed for laser excitation of Na beams and vapors, we have measured absolute and relative Q for the IPP energy W of the measurements was in the range 500 ≤ W ≤ 2750 eV. The results clearly show that IPP is greatly enhanced by exciting the Na. The Q that were actually measured are given below:

$$Na + Na \xrightarrow{Q_1} Na^- + Na^+$$

$$Na + Na \xrightarrow{Q_2} Na^+ + Na^{-*}$$
(1)

$$Na + Na \xrightarrow{Q_2} Na^+ + Na^{-*}$$
 (2)

$$Na_a^* + Na_b \xrightarrow{Q_3} Na_a^+ + Na_b^-$$
 (3)

$$Na_{a}^{*} + Na_{b} \xrightarrow{Q_{4}} Na_{a}^{-} + Na_{b}^{+}$$
 (4)

$$Na + Na \xrightarrow{Q} Na + Na$$

$$(2)$$

$$Na_a^* + Na_b \xrightarrow{Q} Na_a^* + Na_b^*$$

$$(5)$$

$$Na_a^* + Na_b \xrightarrow{Q} Na_a^* + Na_b^*$$

$$(6)$$

$$Na_a^* + Na_b \xrightarrow{\sim 6} Na_a^{-*} + Na_b^{-}$$
 (6)

The subscripts a and b identify a specific atom and relate each product to its parent. The Na, Na and Na represent GS particles. The Na is excited Na in the 3s3p 3P state and is a so-called shape resonance with a very short (<10⁻¹⁴ s) half life. A paper has been submitted for publication.

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC) "Trice of transmittal to dric This technical report has been reviewed and is opproved for public release IAW AFR 190-12. Distribution is unlimited.

TIHEW J. KERPER

Total Technical Information Division

- 5. We have studied collisions of He (2 3S, 2 1S) with Li. The He represents a composite of 13% He(2 ¹S) and 87% He(2 ³S). Absolute and relative Q have been measured in a range of W from 150 to 1500 eV for the IPP of He⁺+Li and from 0.01 to 500 eV for chemi-ionization (CI) (i.e.. Penning ionization and associative ionization). The relatively small $(< 1 \text{ Å}^2)$ and monotonically increasing Q with W for IPP that was obtained can qualitatively be explained on the basis of poor coupling in at least the first step of a ladder climbing process between the incoming covalent and outgoing ionic potentials. Attempts to observe signals for IPP of He + Li were obscured by noise. The CI results can be considered as those for He(2 3S) on the basis of similar experiments by others. Information obtained for CI includes: i) the Penning ionization reaction is directed with most of the Li scattered in the incident Li direction, ii) the He -Li system is attractive with a measured well depth of 0.73 eV, and iii) the Q for total ionization varies as W^{-0.34}. Similarities to the He^{*}-He^{*} system are observed. A manuscript is being prepared for publication.
- 6. We are presently studying the reaction $Li + Cs \rightarrow Li^- + Cs^+$. This is the second of a three-step process which is advocated by some for production of Li beams of interest to the Air Force. We have not found relative and absolute Q for this reaction in the literature, and so we are making an effort to correct this.
- 7. We have made some brief studies of the reactions Li + Na + Li (Li +) + Na + (Na) and Li + Na + Li (Li +) + Na + (Na) in which a fast (keV) beam of Li passes through a vapor of GS Na or Na + (laser excited). The W was in the range 766 to 4214 eV. As expected, the production of a Li beam is greatly assisted by laser excitation of Na. The first reaction is an alternate to the Li-Cs reaction discussed in #6 above for producing Li beams. We will continue these studies and compare the Li-Cs and Li-Na reactions.

PUBLICATIONS

- 1. D. P. Wang, S. Y. Tang and R. H. Neynaber, "Fractional Determination of Excited Atoms Produced by Collinear Laser and Fast Na Beams," J. Phys. B18, L5 (1985).
- 2. D. P. Wang, S. Y. Tang and R. H. Neynaber, "Ion-Pair Production in Collisions of Na and Cl." J. Phys. B18, L513 (1985).
- 3. S. Y. Tang, D. P. Wang and R. H. Neynaber, "Measurements of the Population of Excited Na Atoms in Laser-Excited Na Vapor,"
 J. Phys. B19, L25 (1986).

TALKS

- 1. D. P. Wang, S. Y. Tang and R. H. Neynaber, "Fraction of Laser Excited Atoms in Na Vapor and Fast Na Beams," Conference on the Dynamics of Molecular Collisions, Snowbird, Utah (1985).
- 2. R. H. Neynaber, S. Y. Tang and D. P. Wang, "Ion-Pair Production in Collisions of Na with Cl and Br," XIV International Conference on the Physics of Electronic and Atomic Collisions, Stanford University, p. 369 (1985).
- 3. S. Y. Tang, D. P. Wang and R. H. Neynaber, "Ion-Pair Production and the Effect of Laser Excitation in Na-Na Collisions," ibid., p. 370 (1985).
- 4. D. P. Wang, S. Y. Tang and R. H. Neynaber, "Measurements of Laser Excited Atom Population in Na Vapor and Fast Na Beams," ibid., p. 666 (1985).

PARTICIPANTS

The participants in the research described above are Dr. R. H. Neynaber, Dr. S. Y. Tang and Mr. D. P. Wang (graduate student).

USE OF RESULTS

The Air Force Weapons Laboratory at Kirtland Air Force Base is interested in our results which are applicable to the production of fast neutral particle beams of light masses. A copy of this report is being sent there to Capt. G. McHarg of Space Applications/AWYS.

